
WorkForce Pro WF-C579RDTWF



DATASHEET / BROCHURE



Our latest A4 RIPS MFD delivers fast print, scan and copy speeds with a smaller footprint, low TCO and low environmental impact.

Increase your business productivity with less intervention, a fast first page out time, and secure printing rules and workflow processes, all while reducing your printing costs and environmental impact. High ink yields of up to 50,000 pages in black and 20,000 in colour, fast duplex scanning speeds, and a wide-range of workflow solutions for businesses make this a powerhouse for offices.

Low running costs

High ink yields lower the need to order and replace supplies frequently, and help to deliver predictable print costs and a competitive Total Cost of Ownership (TCO). Also, inkjet technology with fewer replacement parts, lowers the hidden costs of servicing and intervention.

High productivity

A fast First Page Out Time (FPOT) of 4.8 secs in black and 5.3 secs in colour from ready mode, print speeds of up to 24ppm in colour and mono (ISO speed), and a fast duplex scan speed of 60ipm help to keep productivity high. An improved durability of 240k pages helps print more for longer. A maximum paper capacity of 1,330 sheets means less time spent refilling.

Low environmental impact

In addition to speeding up printing, the lack of heat needed by our inkjet technology also helps to cut the environmental impact of print by providing a low power solution with fewer supplies. The high ink yield means less waste from supplies, and you can rest assured from a lack of toner dust and ozone gas emissions.

Built for business

It's compatible with a wide-range of solutions. Boost productivity and monitor print usage via server-based Epson Print Admin; control, analyse and manage your printer fleet with Epson Device Admin; or manage advanced push scan functions with Document Capture Pro. Benefit from our partner solutions like Nuance, PaperCut and Y Soft that can be adapted to meet specific business needs.

KEY FEATURES

- Low running costs Benefit from a low Total Cost of Ownership
- Fast FPOT 4.8secs in black and 5.3 secs in colour from ready mode
- High scan speeds 60ipm single-pass duplex ADF
- Lower your environmental impact Low energy consumption reduces CO2 footprint, no ozone gas emissions
- Use with a wide range of solutions Print and scan management software



PRODUCT SPECIFICATIONS

TECHNOLOGY			
Printing Method	PrecisionCore™ Print Head		
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color		
Minimum Droplet Size	3,8 pl, With Variable-Sized Droplet Technology Replaceable Ink Pack System (RIPS) Office Workgroup Print, Scan, Copy, Fax		
Ink Technology			
Category			
All-in-One Functions			
PRINT			
First Page Out	Monochrome 4,8 Seconds, Colour 5,3 Seconds		
Printing Speed ISO/IEC 2473	4 24 pages/min Monochrome, 24 pages/min Colour		
Duplex Printing Speed ISO/IEC 24734	15 A4 Pages/min Monochrome, 15 A4 Pages/min Colour		
Maximum Printing Speed	34 pages/min Monochrome (plain paper 75 g/m²), 34 pages/min Colour (plain paper 75 g/m²)		
Printing Resolution	4.800 x 1.200 DPI		
Printing Volume	50.000 pages per month		
	The maximum number of printed pages per month based on the performance capabilities of		
	the printer, including ISO rated print speeds and paper handling capabilities.		
Recommended Duty Cycle	400 - 4.500 pages per month		
Colours	Black, Cyan, Yellow, Magenta		
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.		
SCAN			
Scanning Speed	30 ipm (Monochrome, Single-sided, 200 dpi, ADF); 30 ipm (Colour, Single-sided, 200 dpi,		
	ADF); 60 ipm (Monochrome, Double-sided, 200 dpi, ADF); 60 ipm (Colour, Double-sided, 200		
	dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); 5 sec/page (Colour, 200 dpi, Flatbed		
);		
Optical Resolution	1.200 DPI x 2.400 DPI (Horizontal x Vertical)		
Optical Resolution (ADF)	1.200 DPI x 2.400 DPI (Horizontal x Vertical)		
Advanced document	Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture		
integration	Pro), USB Memory Device / Card		
Output formats	JPEG, TIFF, PDF		
Scanner type	Contact image sensor (CIS)		
FAX			
Type of fax	Walk-up black and white and colour fax capability		
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page		
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode		
Fax speed dials (max)	200 names and numbers		
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)		
Fax Functions	PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial, Fax to Folder, Address		
	Book, Broadcast Fax		
СОРҮ			
Copy Speed	Up to 22 ipm Black, Up to 22 ipm Colour		
oopy opeed			
	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)		
Copy resolution (dpi)	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735) 600 x 1200		
Copy resolution (dpi)	600 x 1200		

WorkForce Pro WF-C579RDTWF

WHAT'S IN THE BOX

- Warranty Documents
- Quick Setup Guide
- Driver and utilities (CD)
- User manual (CD)
- Power cable
- Initialization Ink Supply Units



PRODUCT SPECIFICATIONS

CONNECTIVITY	
Network Printing Protocols	LPR, FTP, IPP, LDP, Port 9100, WSD-Print
Network Management	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, ENPC, SLP, WSD, LLTD, SMTP, LLMNR,
Protocols	POP3, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DNS-SD, HTTPS, XMPP, LDAP, LDAPS,
	SNMP 3.0, SNMP Trap
Network Scanning Protocols	WSD-Scan, FTP
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-
	Base TX/ 10-Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 2.0-A (2x)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)
Network Protocol	TCP/IPv4, TCP/IPv6, HTTP, HTTPS, IPSEC
PAPER / MEDIA HANDLING	
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, B6, C4 (Envelope), C6 (Envelope),
	DL (Envelope), No. 10 (Envelope), Letter, Legal, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, 16:9, HLT,
	EXE, User defined
Automatic Document Feed	50 pages
Compatible Paper Weight	64 g/m² - 256 g/m²
Duplex	Yes
Standard Paper input	250 Sheets Standard, 80 Sheets MP tray, 500 Sheets paper tray
Output Tray Capacity	150 Sheets
Paper Tray Capacity	830 Sheets Standard, 1.330 Sheets Maximum
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray, 500-Sheet paper tray
Optional paper tray(s)	500-Sheet paper tray
Rear paper path (special	Yes
media)	
Number of paper trays	3
PAPER FEED RASF	D105
Paper Input Name	RASF
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 10
	x 15 cm, 13 x 18 cm, 16:9, Legal, Executive
Custom sizes	Min 64x 127 mm to Max 215,9x 6.000 mm
Compatible paper weight	64 g/m² - 300 g/m²
Paper Capacity 1	80 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper
PAPER FEED C1	
Paper Input Name	C1
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter,
	HLT, Executive
Custom sizes	Min 89x 127 mm to Max 215,9x 355,6 mm
Compatible paper weight	64 g/m² - 300 g/m²
Paper Capacity 1	250 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper
PAPER FEED C2	
Paper Input Name	C2
· ·	
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, LGL, Executive
Custom sizes	Min 100x 148 mm to Max 215,9x 355,6 mm
Compatible paper weight	64 g/m ² - 160 g/m ²
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED DUPLEX	
Paper Input Name	Duplex
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 148x 210 mm to Max 216x 297 mm
Compatible paper weight	64 g/m ² - 160 g/m ²
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead



PRODUCT SPECIFICATIONS

PAPER FEED C3			
Paper Input Name	C3		
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive		
Custom sizes Min 100x 148 mm to Max 215,9x 355,6 mm			
Compatible paper weight	64 g/m² - 160 g/m²		
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm		
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead		
GENERAL			
Energy Use	29 Watt (standalone copying, ISO/IEC 24712 pattern), 1,3 Watt (sleep mode), 14 Watt (Ready),		
	0,2 Watt (Power off), TEC 0,19 kWh/week		
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz		
Product dimensions	425 x 535 x 513 mm (Width x Depth x Height)		
Product weight	27,6 kg		
Compatible Operating Systems	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2		
Sound Power	Operation: 6,7 B (A)		
Noise	Operation: 53 dB (A)		
Mobile and Cloud printing	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,		
services	Google Cloud Print		
Power supply	220V, 240V		
ADDITIONAL FEATURES			
Features	Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB		
Panel	Type: Color, Touchscreen, Diagonal: 10,9 cm		
Media Handling	ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape		
	printing, Thick Media Support		
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code		
	release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin		
	Mode		
OTHER FEATURES			
Emulations	PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7		
OTHER			
Warranty	12 months On-site service		



SUPPLIES

- WorkForce Pro WF-C529R / C579R Magenta XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Yellow XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Cyan XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Black XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Black XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Cyan XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Magenta XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Yellow XXL Ink Supply Unit
- Maintenance box

LOGISTICS INFORMATION

	2 01113
Layer	2 Units
Country of Origin	Indonesia
EAN code	8715946654782
SKU	C11CG77401BB

WorkForce Pro WF-C579RDTWF

INK YIELD DATA

C13T01C300 5.000 pages

C13T01C400 5.000 pages

C13T01C200 5.000 pages

C13T01C100 10.000 pages


C13T01D100 50.000 pages

C13T01D200 20.000 pages

C13T01D300 20.000 pages

C13T01D400 20.000 pages

C13T671600



* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield



