



[GENERAL SPECIFICATIONS](#)

[PRINTER SPECIFICATIONS](#)

[CARTRIDGES AND YIELDS](#)

[PAPER SUPPORT](#)

[SCANNER SPECIFICATIONS](#)

[COPIER SPECIFICATIONS](#)

[INTERFACE](#)

[SOFTWARE](#)

[PHYSICAL FEATURES](#)

[Print specification](#)

GENERAL SPECIFICATIONS

Model Numbers

MG2550S
MG2555S¹

Functions

Print, Copy, Scan

PRINTER SPECIFICATIONS

Print Resolution

Up to 4800¹ x 600 dpi

Print Technology

2 FINE Cartridges (Black and Colour)

Mono Print Speed

Approx. 8.0 ipm¹

Colour Print Speed

Approx. 4.0 ipm¹

Borderless Printing

Not available

Two Sided Printing

Manual operation

CARTRIDGES AND YIELDS

Standard Ink Cartridges

PG-545 (Black)
CL-546 (Colour)

Optional XL Ink Cartridges

PG-545XL (Black)
CL-546XL (Colour)

Cartridge Yield (Plain paper)

A4 colour documents printing¹
Black: 180 pages
Black XL: 400 pages
Colour: 180 pages
Colour XL: 300 pages

PAPER SUPPORT

Paper Types

Plain Paper
Envelopes
Photo Paper Plus Glossy II (PP-201)
Photo Paper Glossy "Everyday Use" (GP-501)

Maximum Paper Input

Rear tray: Max. 60 sheets (plain paper)

Paper Sizes

A4, A5, B5, 10x15cm, 13x18cm, Envelopes (DL, COM10), Letter, Legal

Paper Weight

Plain paper: 64 - 105 g/m²
Canon photo paper: up to 275 g/m²

SCANNER SPECIFICATIONS

Scanner Type

CIS flatbed photo and document scanner

Scanner Resolution (Optical)

600 x 1200 dpi¹

A4 Scan Speed

Approx. 14 seconds¹

Scanning Depth (Input / Output)

Colour: 48 bit / 24 bit
Greyscale: 16 bit / 8 bit

Maximum Document Size

216 x 297 mm

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. 31 seconds¹
sESAT: Approx. 1.6 ipm¹

Multiple Copy

21 copies (max.)

Copy Functions

Document copying (plain paper)

INTERFACE

Display Type & Size

No display

Interface Type - PC / Mac

Hi-Speed USB (B Port)

SOFTWARE

Supported Operating Systems

Windows 10
Windows 8.1 (including Windows 8.1 Update), Windows 8
Windows 7, Windows 7 SP1
Windows Vista SP2
Windows XP SP3 (32 bit only)
Note: For Windows, .NET Framework 4 or .NET Framework 4.5 is required.
For Windows XP, XPS Essentials Pack is required.
Mac OS X v10.7.5 to Mac OS X v10.11

Minimum System Requirements

Windows: 3.1GB disk space, Internet Explorer 8
Mac: Internet connection, 1.5GB disk space, Safari 5
Display: 1024 x 768 XGA

Software Included

MP Driver including Scanning Utility
My Image Garden with Full HD Movie Print¹
Quick Menu
Easy-WebPrint EX (download)²

PHYSICAL FEATURES

Weight

Approx. 3.5 kg

Dimensions (W x D x H)

426 x 306 x 145mm

Operating Temperature

5-35°C

Operating Humidity

10-90%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.4 W

Standby (connected to PC via USB): Approx. 1.0 W (scanning lamp off)

Standby (all ports connected): Approx. 1.0 W (scanning lamp off)

Time to enter Standby mode: 7 minutes

Copying: Approx. 9 W¹

Disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Footnotes

Model Numbers - ¹ Some models may not be available in your region.

Print Resolution - ¹ Ink droplets can be placed with a minimum pitch of 1/4800 inch

Mono Print Speed - ¹ A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

Colour Print Speed - ¹ A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

Cartridge Yield (Plain paper) - ¹ Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.

Scanner Resolution (Optical) - ¹ Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the maximum scan size is restricted.

A4 Scan Speed - ¹ Color document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.